

Cobb, Rick

From: Cobb, Rick
Sent: Monday, January 22, 2018 2:32 PM
To: 'Diericx, Rick'
Cc: Buscher, Bill; Sofat, Sanjay
Subject: RE: Closure Cost Option Report for Dynege Vermilion

| Tracking: | Recipient | Delivery | Read |
|-----------|-----------------|------------------------------|-------------------------|
| | 'Diericx, Rick' | | |
| | Buscher, Bill | Delivered: 1/22/2018 2:32 PM | Read: 1/22/2018 2:40 PM |
| | Sofat, Sanjay | Delivered: 1/22/2018 2:32 PM | Read: 1/22/2018 2:47 PM |

Rick,

Just to be clear, this request was also intended to include the on-site landfill disposal option.

Rick

Richard P. Cobb, P. G.

Deputy Division Manager
Division of Public Water Supplies

(☎) **Phone:** 217/785-4787

Fax: 217/557-3182

(✉) **E-mail:** rick.cobb@illinois.gov

Website: <http://www.epa.illinois.gov/topics/water-quality/groundwater/index>



From: Cobb, Rick
Sent: Monday, January 22, 2018 2:20 PM
To: 'Diericx, Rick' <Rick.Diericx@dynege.com>
Cc: Buscher, Bill <BILL.BUSCHER@Illinois.gov>; Sofat, Sanjay <Sanjay.Sofat@Illinois.gov>
Subject: RE: Closure Cost Option Report for Dynege Vermilion

Rick,

Thank you for following up on that request. Can Dynege/Santec provide detail on the data and assumptions that were utilized for arriving at the various closure cost estimates.

Sincerely,